

Journal of Magnetic Resonance

EDITOR: Wallace S. Brey, Jr.

EDITORIAL BOARD:

E. Raymond Andrew
Edwin D. Becker
James W. Cooper
B. P. Dailey
P. Diehl
Richard Ernst
Ray Freeman
J. H. Goldstein

David M. Grant
R. K. Harris
K. H. Hausser
Charles S. Johnson, Jr.
Lowell Kispert
J. Jonas
Masaji Kubo
George C. Levy

Ralph Livingston
Bruce McGarvey
Rex E. Richards
Max T. Rogers
Thomas A. Scott
Ian P. Smith
J. B. Stothers
Robert L. Vold

Volume 29, 1978



ACADEMIC PRESS
New York and London

A Subsidiary of Harcourt Brace Jovanovich, Publishers

Copyright © 1978 by Academic Press, Inc.

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (Operations Staff, P.O. Box 765, Schenectady, New York 12301), for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1978 articles are the same as those shown for current articles.

Made in Great Britain



CONTENTS OF VOLUME 29

NUMBER 1, JANUARY 1978

H. E. PETCH, E. C. REYNHARDT, AND A. WATTON. Ammonium Ion Reorientation in NH_4ReO_4 by NMR.	1
H. G. Ff. ROBERTS. "Ring-Current" Contributions to Chemical Shifts in Azulene.	7
H. VANNI, WILLIAM L. EARL, AND ANDRÉ E. MERBACH. Two Approaches to High-Resolution High-Pressure Nuclear Magnetic Resonance.	11
AMIKAM REUVENI AND BRUCE R. McGARVEY. The Ligand Hyperfine Interaction With Rare Earth Ions. IV. ^{19}F NMR Study of Single Crystals of TbF_3 and HoF_3	21
JAN B. WOOTEN, G. B. SAVITSKY, A. L. BEYERLEIN, AND JOHN JACOBUS. Isotope Effects on the Carbon-Hydrogen Bond Orientation of Methyl Iodide in Nematic Phase.	35
T. W. ORTH AND L. J. BURNETT. A Two-Channel Analog Pulse Generator for Pulse NMR.	39
P. BÜCHNER, W. MAURER, AND H. RÜTERJANS. Nitrogen-15 Nuclear Magnetic Resonance Spectroscopy of ^{15}N -Labeled Nucleotides.	45
R. S. MATTHEWS. Determination and Application of Values of Inter-ring F,F Coupling Constants.	65
D. DOSKOČILOVÁ, B. SCHNEIDER, AND J. JAKEŠ. NMR Spectra of Systems with Restricted Motion: Cross-Linked Polymer Gels.	79
B. BODDENBERG AND J. A. MORENO. Dipolar Spin Relaxation of a Pair of Like Spins Attached to Anisotropically Reorienting Molecules. A Group Theoretical Approach.	91
R. E. ADER, A. R. LEPLEY, AND D. C. SONGCO. Utilization of a Microprocessor in a Pulsed NMR Spectrometer.	105
SHIRO KONISHI AND ALLAN H. REDDOCH. The ESR Spectrum of the 1,2-Diphenylcyclopropene Anion Radical in Solution.	113
S. A. T. LONG AND J. D. MEMORY. H-H, C-H, and C-C NMR Spin-Spin Coupling Constants Calculated by the FP-INDO Method for Aromatic Hydrocarbons.	119
ALEX D. BAIN AND JOHN S. MARTIN. FT NMR of Nonequilibrium States of Complex Spin Systems. I. A Liouville Space Description.	125

ALEX D. BAIN AND JOHN S. MARTIN. FT NMR of Nonequilibrium States of Complex Spin Systems. II. Weakly Coupled Systems.	137
M. J. LIN AND J. H. LUNSFORD. CNDQ Calculations of the <i>g</i> Tensors and Spin Densities of Small Paramagnetic Sulfur-Containing Anions on Magnesium Oxide.	151

COMMUNICATIONS

E. C. REYNHARDT AND G. J. KRUGER. An Explanation of the Anomalous Behavior of NH_4ReO_4	159
DAVID M. DODDRELL, PETER C. HEALY, AND M. ROBIN BENDALL. Ligand-Centered ^1H and ^{13}C Electron-Nuclear Dipolar Relaxation in a Ni(II) Complex. Breakdown of the Solomon-Bloembergen Equation.	163
J. DAVID BROWN AND J. ERIC D. DAVIES. H_2O as a Guest Molecule in β -Quinol Clathrates: Implication for NMR and Far-Infrared Studies.	167
PÉTUR REIMARSSON, TORBJÖRN DRAKENBERG, AND BJÖRN LINDMAN. The AsF_6^- Ion as a Probe in NMR Studies of Protein Anion Binding Sites.	169
RAY FREEMAN AND GARETH A. MORRIS. Assignment of Carbon-13 NMR Spectra by "J-Scaling".	173

NUMBER 2, FEBRUARY 1978

EDITOR'S INTRODUCTION	177
KARL HAUSSER. Award Address for Professor E. K. Zavoisky.	179
J. S. WAUGH, M. M. MARICQ, AND R. CANTOR. Rotational Spin Echoes in Solids.	183
J. H. DAVIS, K. R. JEFFREY, AND M. BLOOM. Spin-Lattice Relaxation as a Function of Chain Position in Perdeuterated Potassium Palmitate.	191
SHIZUO FUJIWARA. Fourier Transform of Noise as a Criterion of Perturbation.	201
J. BORNAIS AND S. BROWNSTEIN. A Low-Temperature Thermometer for ^1H , ^{19}F , and ^{13}C	207
D. T. EDMONDS AND J. P. G. MAILER. Deuterium NQR in Samples Dilute in Deuterium.	213
R. SKINNER AND J. A. WEIL. Spin-Hamiltonian Energies and State Vectors. II.	223

A. R. BOATE, J. R. MORTON, AND K. F. PRESTON. EPR Spectra of Hexafluoride Radicals.	243
R. PAEZ, L. C. HERNÁNDEZ, J. J. JARAMILLO, P. PRIETO, J. RODRÍGUEZ, AND G. FRITSCH. ESR of Silicon Oxide Thin-Film Capacitors.	251
K. E. ROELFSEMA AND H. W. DEN HARTOG. Electric Field Effect of EPR Spectra of Cubic Impurities in SrCl_2	255
L. G. VANQUICKENBORNE, C. GÖRLLER-WALRAND, AND R. DEBUYST. <i>g</i> -Factor Anisotropy of the CrO_3^- Radical.	275
PAUL F. RICHARDSON AND ROBERT W. KREILICK. Transition Metal Complexes with Radical Ligands: Pyridyliminonitroxide Radicals with Copper and Vanadium.	285
R. LINN BELFORD AND DANIEL C. DUAN. Determination of Nuclear Quadrupole Coupling by Simulation of EPR Spectra of Frozen Solutions.	293
K. ABDOLALL, A. L. MACKAY, AND M. BLOOM. The Lipid-Water Interaction in Sodium Laurate.	309
DONALD P. HOLLIS, RAY L. NUNNALLY, GEORGE J. TAYLOR IV, MYRON L. WEISFELDT, AND WILLIAM E. JACOBUS. Phosphorus Nuclear Magnetic Resonance Studies of Heart Physiology.	319
E. R. ANDREW, T. J. GREEN, AND M. J. R. HOCH. Solid-State Proton Relaxation of Biomolecular Components.	331
SHAW-CHEN CHEN AND BETTY JEAN GAFFNEY. Paramagnetic Resonance Evidence for Phase Transitions in Bilayers of Pure Spin-Labeled Lipids.	341
P. MANSFIELD AND I. L. PYKETT. Biological and Medical Imaging by NMR.	355
IAN M. ARMITAGE, ANTONIUS J. M. SCHOOT UITERKAMP, JAN F. CHLEBOWSKI, AND JOSEPH E. COLEMAN. ^{113}Cd NMR as a Probe of the Active Sites of Metalloenzymes.	375

COMMUNICATION

HAROLD M. SWARTZ. Applications of Magnetic Resonance in Cancer—A Critical Summary	395
---	-----

NUMBER 3, MARCH 1978

I. D. CAMPBELL, C. M. DOBSON, R. G. RATCLIFFE, AND R. J. P. WILLIAMS. Fourier Transform NMR Pulse Methods for the Measurement of Slow-Exchange Rates.	397
---	-----

PIET JAN ANDREE. The Effect of Cross Relaxation on the Longitudinal Relaxation Times of Small Ligands Binding to Macromolecules.	419
GARETH A. MORRIS AND RAY FREEMAN. Selective Excitation in Fourier Transform Nuclear Magnetic Resonance.	433
KOICHI MANO. Zeeman Effect of ^{35}Cl NQR in Perchloro-5-methylcyclopentadiene.	463
K. R. HARRIS, R. MILLS, P. J. BACK, AND D. S. WEBSTER. An Improved NMR Spin-Echo Apparatus for the Measurement of Self-Diffusion Coefficients: The Diffusion of Water in Aqueous Electrolyte Solutions.	473
B. T. PENNINGTON AND J. R. CAVANAUGH. Proton Magnetic Resonance Study of the Equilibria between Lanthanide (3+) Ions and Amino Acids and the Nature of the Induced Shifts.	483
ARNT INGE VISTNES. A New Method for Simulation of EPR Spectra with Particular Application to Nitroxide Spin Labels.	495
JAMES S. HYDE AND K. V. S. RAO. Dipolar-Induced Electron Spin-Lattice Relaxation in Unordered Solids.	509
WILLIAM E. ANTHOLINE, JAMES S. HYDE, AND HAROLD M. SWARTZ. Use of Dy $^{3+}$ as a Free-Radical Relaxing Agent in Biological Tissues.	517
W. P. AUE, P. BACHMANN, A. WOKAUN, AND R. R. ERNST. Sensitivity of Two-Dimensional NMR Spectroscopy.	523
PIERRE A. CHIHA AND RICHARD H. CLARKE. Triplet-State Intersystem Crossing Rates from Optically Detected Magnetic Resonance Spectroscopy.	535
PETER SMITH, LEE B. GILMAN, ROBERT D. STEVENS, AND CAMILA VIGNOLA DE HARGRAVE. EPR Study of the Photoinitiated Polymerization of Styrene.	545
GEORGE C. LEVY, ALLEN D. GODWIN, JAMES M. HEWITT, AND CAROL SUTCLIFFE. Natural Abundance ^{15}N and ^{13}C Spectroscopy. Amino-benzoic Acids, Substituted Anilines, and Related Compounds.	553
H. S. SANDHU. Nuclear Spin Relaxation in Liquid Methylene Chloride.	563
R. E. D. MCCLUNG AND N. R. KRISHNA. Fourier Transform Double-Resonance NMR on Two- and Three-Spin Systems.	573

COMMUNICATIONS

DAVID L. TURNER AND RAY FREEMAN. The Proton-Coupled Carbon-13 Spectrum of Cholesterol.	587
M. EISENSTADT AND M. E. FABRY. NMR Relaxation of the Hemoglobin-Water Proton Spin System in Red Blood Cells.	591

MIKIO OHGUSHI, KUNIaki NAGAYAMA, AND AKIYOSHI WADA. Dextran-Magnetite: A New Relaxation Reagent and Its Application to T_2 Measurements in Gel Systems.	599
LAWRENCE G. WERBELOW AND DAVID M. GRANT. Anomalous Relaxation in the A ₃ Degenerate Spin System.	603
IAN R. PEAT AND GEORGE SLOMP. Technique for Retrieving Lost Data from Mass Storage Device	607
ANNOUNCEMENTS AND NEWS ITEMS.	611
AUTHOR INDEX FOR VOLUME 29.	613

The Subject Index for Volume 29 will appear in the December 1978 issue as part of a cumulative index for the year 1978.

Information for Authors

The *Journal of Magnetic Resonance* includes original papers, both full articles and communications, dealing with the theory, techniques, methods or spectral analysis and interpretation, spectral correlations, and results of magnetic resonance spectroscopy and related fields. The Editor seeks the assistance of expert referees in the evaluation of manuscripts of articles, but he alone is responsible for the final decision concerning acceptance.

Original papers only will be considered. Manuscripts are accepted for review with the understanding that the same work has not been and will not be published nor is presently submitted elsewhere, and that all persons listed as authors have given their approval for the submission of the paper; further, that any person cited as a source of personal communications has approved such citation. Written authorization may be required at the Editor's discretion. Articles and any other material published in the *Journal of Magnetic Resonance* represent the opinions of the author(s) and should not be construed to reflect the opinions of the Editor(s) and the Publisher.

Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the Publisher. The Publisher will not refuse any reasonable request by the author for permission to reproduce any of his or her contributions to the journal.

Communications are preliminary accounts of work of special importance or contain discussion of controversial subjects. Communications must be especially carefully and concisely prepared; since they may not be refereed, it is the responsibility of the author to ensure that the manuscript as originally submitted is free of typographical or substantive errors. To save time in publication, proofs of communications are not sent to the authors for correction.

Fifty reprints of each paper are supplied without charge, and additional reprints may be ordered on a form which is sent to the author. For articles, the reprints order form accompanies the galley proofs which the author receives. The Journal *assess no page or publication charges*.

All manuscripts and books for review should be sent to the Editor, Wallace S. Brey, Department of Chemistry, University of Florida, Gainesville, Florida 32611.

Arrangement of the Paper

If the paper is lengthy, it should be divided into sections, although it is preferred that the sections not be numbered. Tables are numbered consecutively with *Arabic* numerals and are to be mentioned in order in the text. Each table should be supplied with a title. Figures are also numbered consecutively with *Arabic* numerals and are mentioned in order in the text. Each regular article requires an abstract which should describe concisely the substantive content, the conclusions reached, and the contributions of the research described. Since the abstract may be used directly by Chemical Abstracts and other abstracting services, it must be self-contained, having no references to formulas, equations, or bibliographic citations which appear in the body of the manuscript.

Literature references are cited in numerical order in the text by *in-line, parenthesized, italic numerals*. References to "unpublished" or "to be published" work from the author's laboratory should not be given. However, dissertations may be cited, or papers actually accepted may be referred to as "in press" if the name of the journal is included.

Authors are urged to give careful thought to the logical construction of the manuscript, so that explanatory or parenthetical footnotes need not be employed—where possible, such material should be incorporated in the text. Any footnotes which are indispensable are not intermixed with references, but are indicated in the text by consecutive, superscript numerals, and each footnote will then appear in the print at the bottom of the page on which it is cited. Equation numbers are given in *square brackets* to the right of the equation, and references in the text to equations should be in the form "Eq. [3]."

Form of Manuscript

Manuscripts should be submitted in triplicate. The *original typewritten copy* should be supplied: mimeo, electrostatic and similar process reproductions are not usually sufficiently clear. All of the typing must be

double-spaced, including that of abstract, references, and footnotes, on one side of good quality paper approximately 22 × 28 cm (8.5 × 11 in) in dimensions. The first line of each paragraph is indented.

Each page of the manuscript should be numbered. The first page contains the article title, the author's name, and affiliation. At the bottom of this page should appear any footnotes to the title (indicated by superscript *, †, and ‡); the number of manuscript pages, figures, and tables should also be noted. The second page should contain the abstract of 50–200 words.

Symbols and Abbreviations. The Americal Chemical Society's Handbook for Authors, 1967 edition, or the Style Manual of the American Institute of Physics should be followed for standard abbreviations, names and symbols of units. Mathematical equations or symbols must be typewritten whenever possible. Greek letters may be identified in pencil in the margin. The author of any manuscript in which there are mathematical equations or symbols is urged to supply a list of these on a separate sheet for the assistance of the printer in selecting the proper type. The list will not appear in print.

References and Footnotes. References to the literature should be cited in order in the text by in-line, parenthesized numerals. The references themselves are to be typed double-spaced on a separate sheet in numerical order. Each reference contains the author's initials, last name, journal name, volume, initial page number and year in parentheses, *in that order*. The name of the journal is abbreviated in the style of Chemical Abstracts' *Service Source Index* (1969 Edition). For book references, the form is author's name, name of the book in quotation marks, editor's name (if any), edition if other than the first, chapter or page number, publisher's name, place of publication, and year of publication.

Any footnotes which are included are numbered in a sequence separate from the references and must be typed in the manuscript on a separate page.

Tables. Tables should be laid out carefully, so that minimum space is used and entries are accurately grouped and clearly labeled. Usually, a table should be arranged vertically, with more rows than columns. Vertical lines are not used to separate the columns. Each table is numbered with an Arabic numeral, provided with a title, and typed on a separate sheet of paper. Footnotes to the table are placed directly below it and are indicated by superscript, lower-case, italic letters (*a,b,c*). Tables that are longer than two manuscript pages will be reproduced photographically, and should therefore be typed in the exact form desired. All such tables should be carefully checked since errors cannot be corrected in proof.

Figures. Figures must be carefully drawn in black, waterproof drawing ink, to draftsman's standards, with lettering by stencil or drawing machine. Freehand, penciled, or typewritten lettering is not acceptable. Lettering should include numerical scales and units required for the two axes, and should be large enough to be legible after reduction by 50–60%. The illustration copy should be on sheets of the same size as that on which the manuscript is typed. Smaller figures may be mounted on sheets of the required size, and larger originals may be handled by supplying glossy, high-contrast, photographic reductions. The original and two duplicates of each figure are required.

Diagrams. Ink drawing should be supplied for any complex molecular formulas or diagrams involving material which the printer cannot readily set in type.

Proofs. Galley proofs will be sent to the author with reprint order forms. Fifty reprints of each article will be supplied free of charge.